## Part II – Zoning Ordinances Chapter 240 – Land Use

## Article 6. Town-wide Regulations (private road construction)


## 240-6.14 Road Construction, filling and grading.


- **A.** On lots greater than five acres in area, the construction of a road, or grading or filling of the land may not commence prior to site plan review under Article 10, unless the planned land use is to serve no more than two residential units, or a use accessory to an existing single-family home. On lots of five acres or less, and on any lot when the planned use is to serve no more than two residential units, or a use accessory to an existing single-family home, such construction, grading or filling requires a permit from the Code Enforcement Officer.
- **B.** A driveway/private road over 50 feet long for a single-family or two-family dwelling that the Code Enforcement Officer may permit, shall not be less than 12 feet wide, with a minimum five-foot setback from the lot line.
- C. A driveway/private road for a three-unit multiplex, or for three detached dwellings, must be approved by the Planning Board, and the right-of-way shall not be less than two rods (which is 33 feet) in width. The traveled way shall not be less than 16 feet in width of gravel, of hard, durable particles free from vegetative matter, 16 inches thick after compaction. Drainage swales must have slopes no steeper than 3:1. The center line of the roadway shall not be more than three feet off the center line of the right-of-way.
- **D.** A driveway/private road for four or more detached dwellings must be approved by the Planning Board, and the right-of-way shall not be less than 50 feet in width. The traveled way shall not be less than 20 feet in width of gravel, of hard, durable particles free from vegetative matter, 16 inches thick after compaction. Drainage swales must have slopes no steeper than 3:1. The center line of the roadway shall not be more than three feet off the center line of the right-of-way. See Table F and exhibits for dimensions and hammerhead /culde-sac design standards.
- E. The Planning Board may reduce or modify the driveway/private road standards where strict adherence to the limitations cannot be met when considering a preexisting right-of-way, or cannot be met due to environmental concerns. In addition, during the course of their-its review the Planning Board may consult with the Code Enforcement Officer and the Fire Chief regarding emergency equipment access requirements for new and expanded existing private roads. If


such a modification(s) is approved, the Planning Board shall include the modification(s) in the site plan review's written findings of fact, and the applicant shall record the findings of fact with the York County Registry of Deeds before commencing any work or before receiving a building or land use activity permit from the Code Enforcement Officer.

## <u>F.</u>

Table of Dimensional Standards			
Residential Use	Minimum ROW	Minimum Travelled Width	Permitting Authority
Up to: (2) Single family Dwellings or (1) Two Family	NOW	Width	Authority
Dwelling	22'	12'	CEO
(3) Detached Dwellings, or 1(3) Unit Multiplex	33'	16'	РВ
(4 or more) Detached Dwellings or residential dwelling			
units	50'	20'	PB







HAMMERHEAD TURNAROUND DETAIL SCALE: 1"=20'